

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28062	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (370/351) or (725/27) or (725/30) or (725/54) or (725/62-63) or (725/81) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/168) or (709/225) or (709/238) or (726/2-5) or (726/12) or (726/15) or (726/17) or (726/21) or (726/27) or (726/28) or (726/29) or (348/14.02) or (455/3.01) or (455/3.02) or (455/3.04) or (455/132)).CCLS.	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L2	958	L1 and (back near2 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L3	3827	L1 and (wireless near2 (channel\$1 link \$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07

L4	153657	(predetermin\$7 determin\$6 predetermin\$7 select\$3 decid\$4) near6 ((intermedia\$4 destination\$1 receive\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1) host\$1 server\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L5	43872	(authentication\$4 authorization\$9 login login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L6	15295	(send\$3 deliver\$3 transmit\$4 transmission\$1 sent communication\$4) near3 (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identifi\$9 name\$1 address\$3))) username\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L7	21437	(authentication\$4 authorization\$9 login login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L8	48326	(authentication\$4 authorization\$9 login login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (user\$1 person\$3 client\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L9	5227	L5 near3 (determin\$7 select\$8 appoint\$4 choose\$3 choose\$3 pick\$3 decid\$3 decision\$1 which)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L10	1912	L9 and L7 and L8	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L11	938	L10 and L4	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07

L12	322	L11 and L6	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L13	25	L12 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L14	25	L12 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L15	3759	L4 with (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identi\$9 name\$1 address\$3)) username\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L16	16151	L5 and L4	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L17	5253	L16 and L7	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L18	1396	L6 and L17	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L19	195	L18 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L20	42	L19 and L15	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L21	236252	((authenticat\$4 authori\$8 user\$2 client\$2 person\$3) near2 (information\$1 data\$1 id identi\$9 name\$1 address\$3)) username\$1 userid user-id\$9 user-name \$1	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L22	85	((retransmit\$5 re- transmit\$5 retransmission\$1 re- transmission\$1 resend \$3 resent re-send\$3 re-sent\$1) near7 ((authentic\$6 authori \$9 encrypt\$5 verify\$9) near4 (code\$1 number\$1 pin))	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07

L23	63213	(authenticat\$4 authori\$9 verif\$9 certif\$9) near3 (unit\$1 server\$1 host\$1 computer\$1 station\$1 system\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L24	77221	(intermedia\$5 middle destination\$1) near3 (unit\$1 server\$1 host\$1 computer\$1 station\$1 system\$1)	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L25	16	L22 and L23 and L24	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L26	5	VANDERGEEST near3 RON	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L27	5	SIMZER near3 KEVIN	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L28	2	SKINNER near3 ERIC	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2010/03/03 10:07
L29	132	(retransmit\$4 re-transmit\$4 retransmission\$1 re-deliver\$3 re-sent resend\$3 re-send\$3 recommunicat\$4 re-communicat\$4) near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L30	16010	(send\$3 sent\$1 deliver\$3 transmi\$7 communicat\$4) near6 (id identifier\$1 identit\$3 identification\$1 name\$1 username\$1) near4 (user\$2 client\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L31	23	L29 and L30	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L32	6791	(send\$3 sent\$1 deliver\$3 transmi\$7 communicat\$4) near6 (same\$1 exact\$2) near4 code\$1	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07

L33	701343	(1st first user\$2 client\$2) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L34	489133	(intermedia\$3 second\$1 2nd another\$1 middle) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L35	76226	(auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L36	28949	L33 and L34 and L35	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L37	469	L32 and L36	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L38	484096	(intermedia\$3 second\$1 2nd) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L39	31412	(auth authentic\$5 authori\$7) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L40	277	L32 and L38 and L39	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L41	183	L40 and (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L42	168	L40 and (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L43	160	L42 and L33	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07

L44	4069448	(single one) near\$5 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L45	13354	L44 and L38 and L39	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L46	1179	L33 near7 (auth authentic\$5 authori \$7 verif\$9 certif\$9 valid\$6) near4 (code \$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L47	294	L34 near7 (auth authentic\$5 authori \$7 verif\$9 certif\$9 valid\$6) near4 (code \$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L48	3668	L35 near7 (auth authentic\$5 authori \$7 verif\$9 certif\$9 valid\$6) near4 (code \$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L49	114	L46 and L47 and L48	USPAT; IBM_TDB	OR	ON	2010/03/03 10:07
L58	3	(authenticat\$3 and code\$ and channel and transparent and identification\$1).clm.	US-PGPUB	OR	OFF	2010/03/03 10:37
L59	6	(authenticat\$3 and code\$ and channel and transparent and identification\$1).clm.	US-PGPUB; USPAT; JPO	OR	OFF	2010/03/03 10:38
L66	28761	((455/450) or (455/15) or (455/39) or (455/3.01) or (455/3.02) or (455/3.04) or (455/132) or (370/312) or (370/329) or (370/335) or (370/341) or (370/351) or (725/27) or (725/30) or (725/54) or (725/62-63) or (725/81) or (380/229) or (380/232) or (380/241) or (709/200) or	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:46

		(709/203) or (709/202) or (713/168) or (709/225) or (709/238) or (726/2- 5) or (726/12) or (726/15) or (726/17) or (726/21) or (726/27) or (726/28) or (726/29) or (348/14.02)).CCLS.				
L67	509805	(intermedia\$3 second \$4 2nd) near3 (unit \$1 station\$1 nodes\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:47
L68	12265	66 and 67	USPAT; IBM_TDB	OR	ON	2010/03/03 10:47
L69	4924	68 and ((second\$4 another\$1 different alternative multipl\$7) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2010/03/03 10:48
L72	356	69 and (auth authentic\$5 authori \$7 verif\$9 certif\$9 valid\$6) near4 (code \$1)	USPAT; IBM_TDB	OR	ON	2010/03/03 10:49
L73	169	72 and 39	USPAT; IBM_TDB	OR	ON	2010/03/03 10:50
L74	15	73 and ((retransmit \$4 re-transmit\$4 retransmission\$1 re- transmission\$1 redeliver\$3 re-deliver \$3 resent re-sent resend\$3 re-send\$3 recommunicat\$4 re- communicat\$4) near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6))	USPAT; IBM_TDB	OR	ON	2010/03/03 10:52

L75	503	"70" and ((retransmit\$4 re-transmit\$4 retransmission\$1 re-transmission\$1 redeliver\$3 re-deliver\$3 resent re-sent resend\$3 re-send\$3 recommunicat\$4 re-communicat\$4) near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6))	USPAT; IBM_TDB	OR	ON	2010/03/03 10:53
S1	25221	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (370/351) or (725/27) or (725/30) or (725/54) or (725/62-63) or (725/81) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/168) or (709/225) or (709/238) or (726/2-5) or (726/12) or (726/15) or (726/17) or (726/21) or (726/27) or (726/28) or (726/29) or (348/14.02) or (455/3.01) or (455/3.02) or (455/3.04) or (455/132)).CCLS.	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S2	886	S1 and (back near2 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S3	3345	S1 and (wireless near2 (channel\$1 link\$1 path\$1))	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19



S4	143329	(predetermin\$7 determin\$6 predetermin\$7 select\$3 decid\$4) near6 ((intermedia\$4 destination\$1 receive\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1) host\$1 server\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S5	39873	(authentication\$4 authorization\$9 login login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (unit\$1 device\$1 system\$1 engine\$1 computer\$1 node\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S6	13964	(send\$3 deliver\$3 transmit\$4 transmission\$1 sent communication\$4) near3 (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id ident\$9 name\$1 address\$3))) username\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S7	19754	(authentication\$4 authorization\$9 login login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S8	44010	(authentication\$4 authorization\$9 login login log-on log-in permission\$1 biometric\$1 fingerprint\$3) near3 (user\$1 person\$3 client\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S9	4682	S5 near3 (determin\$7 select\$8 appoint\$4 choose\$3 choose\$3 pick\$3 decid\$3 decision\$1 which)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S10	1708	S9 and S7 and S8	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S11	822	S10 and S4	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19

S12	286	S11 and S6	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S13	22	S12 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S14	22	S12 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S15	3378	S4 with (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identi\$9 name\$1 address\$3)) username\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S16	14425	S5 and S4	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S17	4711	S16 and S7	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S18	1266	S6 and S17	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S19	180	S18 and ((second\$4 another\$1) near3 (channel\$1 path\$1 link\$1))	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S20	39	S19 and S15	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S21	218476	((authenticat\$4 authori\$8 user\$2 client\$2 person\$3) near2 (information\$1 data\$1 id identi\$9 name\$1 address\$3)) username\$1 userid user-id\$9 user-name \$1	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S22	81	((retransmit\$5 re- transmit\$5 retransmission\$1 re- transmission\$1 resend \$3 resent re-send\$3 re-sent\$1) near7 ((authentic\$6 authori \$9 encrypt\$5 verif\$9) near4 (code\$1 number\$1 pin))	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19

S23	58409	(authenticat\$4 authori\$9 verif\$9 certif\$9) near3 (unit\$1 server\$1 host\$1 computer\$1 station\$1 system\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S24	73361	(intermedia\$5 middle destination\$1) near3 (unit\$1 server\$1 host\$1 computer\$1 station\$1 system\$1)	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S25	16	S22 and S23 and S24	USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S26	5	VANDERGEEST near3 RON	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S27	5	SIMZER near3 KEVIN	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S28	2	SKINNER near3 ERIC	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2009/07/23 12:19
S29	124	(retransmit\$4 re-transmit\$4 retransmission\$1 re-transmission\$1 redeliver\$3 re-deliver\$3 resent re-sent resend\$3 re-send\$3 recommunicat\$4 re-communicat\$4) near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S30	14520	(send\$3 sent\$1 deliver\$3 transmi\$7 communicat\$4) near6 (id identifier\$1 identit\$3 identification\$1 name\$1 username\$1) near4 (user\$2 client\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S31	21	S29 and S30	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S32	6491	(send\$3 sent\$1 deliver\$3 transmi\$7 communicat\$4) near6 (same\$1 exact\$2) near4 code\$1	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19

S33	666247	(1st first user\$2 client \$2) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S34	467796	(intermedia\$3 second \$1 2nd another\$1 middle) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S35	71100	(auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near3 (unit\$1 station \$1 node\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S36	26937	S33 and S34 and S35	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S37	455	S32 and S36	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S38	462934	(intermedia\$3 second \$1 2nd) near3 (unit \$1 station\$1 node\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S39	28642	(auth authentic\$5 authori\$7) near3 (unit \$1 station\$1 node\$1 workstation\$1 computer\$1 system \$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S40	268	S32 and S38 and S39	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S41	177	S40 and (auth authentic\$5 authori \$7 verif\$9 certif\$9 valid\$6) near4 (code \$1 pin number\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S42	163	S40 and (auth authentic\$5 authori \$7 verif\$9 certif\$9 valid\$6) near4 (code \$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S43	155	S42 and S33	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19

S44	3961742	(single one) near\$5 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S45	12189	S44 and S38 and S39	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S46	1106	S33 near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S47	272	S34 near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S48	3434	S35 near7 (auth authentic\$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1)	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19
S49	110	S46 and S47 and S48	USPAT; IBM_TDB	OR	ON	2009/07/23 12:19

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(authenticat\$3 and code\$ and channel and transparent and id\$9). clm.	US-PGPUB	OR	OFF	2010/03/03 10:36
L50	2267	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (370/351) or (725/27) or (725/30) or (725/54) or (725/62-63) or (725/81) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or	UPAD	OR	OFF	2010/03/03 10:32

		(709/202) or (713/168) or (709/225) or (709/238) or (726/2-5) or (726/12) or (726/15) or (726/17) or (726/21) or (726/27) or (726/28) or (726/29) or (348/14.02) or (455/3.01) or (455/3.02) or (455/3.04) or (455/132)).CCLS.				
L51	50	50 and (back near2 (channel\$1 link\$1 path \$1))	USPAT; UPAD	OR	OFF	2010/03/03 10:33
L52	4	VANDERGEEST near3 RON	USPAT; UPAD	OR	OFF	2010/03/03 10:33
L53	90	((retransmit\$5 re- transmit\$5 retransmission\$1 re- transmission\$1 resend \$3 resent re-send\$3 re- sent\$1) near7 ((authentic\$6 authori \$9 encrypt\$5 verif\$9) near4 (code\$1 number \$1 pin))	USPAT; UPAD	OR	ON	2010/03/03 10:34
L54	2341	"503" and (back near2 (channel\$1 link\$1 path \$1))	USPAT; UPAD	OR	OFF	2010/03/03 10:34
L55	0	53 and (back near2 (channel\$1 link\$1 path \$1))	USPAT; UPAD	OR	OFF	2010/03/03 10:34
L56	0	50 and 53	USPAT; UPAD	OR	OFF	2010/03/03 10:35
L57	3	(authenticat\$3 and code\$ and channel and transparent and identification\$1).clm.	US-PGPUB	OR	OFF	2010/03/03 10:37
L60	18441	((send\$3 deliver\$3 transmit\$4 transmission \$1 sent communicat \$4) near3 (biometric\$1 fingerprint\$1 ((user client\$1 person\$3) near2 (id identi\$9 name \$1 address\$3)) username\$1)	USPAT; UPAD	OR	OFF	2010/03/03 10:39

L61	513003	(intermedia\$3 second \$1 2nd) near3 (unit\$1 station\$1 node\$1 workstation\$1 computer\$1 system\$1)	USPAT; UPAD	OR	ON	2010/03/03 10:39
L62	5115	60 and (auth authentic \$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number \$1)	USPAT; UPAD	OR	ON	2010/03/03 10:40
L63	2153	61 and 62	USPAT; UPAD	OR	ON	2010/03/03 10:40
L64	25	63 and 50	USPAT; UPAD	OR	ON	2010/03/03 10:41
L65	2326	((455/450) or (455/15) or (455/39) or (455/3.01) or (455/3.02) or (455/3.04) or (455/132) or (370/312) or (370/329) or (370/335) or (370/341) or (370/351) or (725/27) or (725/30) or (725/54) or (725/62-63) or (725/81) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/168) or (709/225) or (709/238) or (726/2-5) or (726/12) or (726/15) or (726/17) or (726/21) or (726/27) or (726/28) or (726/29) or (348/14.02)).CCLS.	UPAD	OR	OFF	2010/03/03 10:46
L70	386	65 and (auth authentic \$5 authori\$7 verif\$9 certif\$9 valid\$6) near4 (code\$1 pin number \$1)	USPAT; UPAD	OR	ON	2010/03/03 10:48

L71	73	70 and ((second\$4 another\$1 different alternative multipl\$7) near3 (channel\$1 path \$1 link\$1))	USPAT; UPAD	OR	OFF	2010/03/03 10:49
L76	11	70 and ((retransmit\$4 re-transmit\$4 retransmission\$1 re- transmission\$1 redeliver\$3 re-deliver \$3 resent re-sent resend\$3 re-send\$3 recommunicat\$4 re- communicat\$4) near7 (auth authentic\$5 authori\$7 verif\$9 certif \$9 valid\$6))	USPAT; UPAD	OR	ON	2010/03/03 10:53

**3/3/10 10:53:51 AM**

**C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\09855183.wsp**